




[Advanced Search](#)


Web

Results **1 - 10** of about **104,000** for **type descriptor data types user defined functions**. (0.43 seconds)
[Show options...](#)

### 1. 3. **Data** model — Python v2.6.4c2 documentation

Additional information about a **function's** definition can be retrieved from its code object; see the **description** of internal **types** below. **User-defined ...**

[docs.python.org/reference/datamodel.html](https://docs.python.org/reference/datamodel.html) - [Cached](#) - [Similar](#)

### 2. GrADS **User Defined Functions**

Field 4 to N: A keyword describing the **data type** of each argument: ... write **data** to the **function data** transfer file without any record **descriptor** words. ... The **user function** routine will know what **data types** to expect (since they will ...

[www.iges.org/grads/gadoc/udf.html](http://www.iges.org/grads/gadoc/udf.html) - [Cached](#) - [Similar](#)

### 3. Creating **User-Defined Data Types**

**User-defined data types** can be used when several tables must store the same **type** of **data** in a column and you must ensure that these columns have exactly the ...

[msdn.microsoft.com/en-us/library/aa933121\(SQL.80\).aspx](http://msdn.microsoft.com/en-us/library/aa933121(SQL.80).aspx) - [Cached](#) - [Similar](#)

### 4. Determining the **Data Type** of a Column

In a system-**descriptor** area, in the **TYPE** field of the item **descriptor** for each ... the **data type** of a column or the return value of a **user-defined function**. Constants for these Informix SQL **data types** are **defined** in the Informix ESQL/C ...

[publib.boulder.ibm.com/infocenter/.../sli-15-72166.htm](http://publib.boulder.ibm.com/infocenter/.../sli-15-72166.htm) - [Cached](#) - [Similar](#)

### 5. **User Defined Functions** - SQLTeam.com

Oct 12, 2000 ... Text, ntext, image and timestamp **data types** are not supported. These are the **type** of **user-defined functions** that most developers are used to ...

[www.sqlteam.com/article/user-defined-functions](http://www.sqlteam.com/article/user-defined-functions) - 15 hours ago - [Similar](#)

### 6. Beyond the Basics — NumPy v1.4.dev7459 Manual (DRAFT)

One common use of this **data** variable is to pass in an actual **function** to call to compute .... to support and then registering these **functions** with the **data-type descriptor**. ... This situation limits the ability of **user-defined data-types** to participate in ... The **user-defined type** this loop should be indexed under. ...

[docs.scipy.org/doc/numpy/user/c-info.beyond-basics.html](https://docs.scipy.org/doc/numpy/user/c-info.beyond-basics.html) - [Cached](#) - [Similar](#)

### 7. 6.3. **User-defined Data Types**

Every **user-defined type** is a class; **data** items of a class **type** are ... Let's take a look

at a step-by-step **description** of how to create and use a class. ... the names and **types** of the member **functions** and member variables that make up ...

[www.steveheller.com/cppad/Output/inventor4.html](http://www.steveheller.com/cppad/Output/inventor4.html) - [Cached](#) - [Similar](#)

## 8. User-Defined Functions and Types

The sys.**types** view contains a row for each **user** and system **data type**. To identify which **function** or procedure parameters reference the **user-defined type**, ...

[www.springerlink.com/index/v485752q775hp9g2.pdf](http://www.springerlink.com/index/v485752q775hp9g2.pdf) - [Similar](#)

by UDF Basics - [All 2 versions](#)

## 9. Autodesk - Training - AutoLISP Learning Series - Lesson Three ...

Determining **Data Types**. The AutoLISP **function Type** is used to determine the ...

Text strings are typically used in formatting prompts for **user-defined functions**. ...

File **descriptor data types** act as pointers to a file that has been ...

[usa.autodesk.com/adsk/servlet/item?siteID=123112&id...](http://usa.autodesk.com/adsk/servlet/item?siteID=123112&id...) - [Cached](#) - [Similar](#)


## 10. Fully integrated architecture for **user-defined** search - US Patent ...

In the following **description** of the preferred embodiment, reference is made to the ....

By pushing **user-defined data types**, indexes, and **user-defined functions** and ...

The customers\_feature table 418 simulates a structured **data type**, ...

[www.patentstorm.us/patents/6278994/description.html](http://www.patentstorm.us/patents/6278994/description.html) - [Similar](#)



type descriptor data types user defined functions

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)